

SAFETY DATA SHEET

Revised 12.20.15

CASA 246-B

Section 1: Product Identification & Company Information

1.1 Product Identifier

CASA 246

1.2 Manufacturer

CASA Adhesive, Inc 206 Nance Road NE Calhoun GA 30701 1.888.685.0025

1.3 Emergency Telephone

Chemtrec 1.800.424.9300

1.4 Recommended Use

Adhesive Industrial

1.5 Restrictions

None

Section 2: Hazard Identification

2.1 Hazardous Ingredient

Ammonia < 1% ACGIH: 25ppm C.A.S. No. 1336-21-6

2.2 Label Elements

Not Applicable

Section 3: Composition Information on Ingredients

Ingredient	C.A.S. No	Percentage by Weight
Water	7732-18-5	40-50 Trade Secret*
Proprietary Mixture	NA	50-60 Trade Secret*

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

1	Health
0	Flammability
0	Reactivity
0	Special Hazards

Section 4: First Aid

Description of first aid measures

Eye Possible irritant. Flush with water for 10-15 minutes.

Skin Possible irritation, drying or cracking of skin due to drying effect. Wash with soap and

water.

Ingestion Consult physician.

Section 5: Fire Fighting Measures

5.1 Flash Point

None

5.2 Extinguishing Media

Water, carbon dioxide, or dry chemical

5.3 Special Fire Fighting Features

Wear self contained breathing gear in confined spaces

Section 6: Composition Information on Ingredients

Accidental Release Measures

Spill Pump large quantities into containers, use vermiculite or inert material, then place in

container for chemical waste.

Section 7: Handling & Storage

7.1 Handling

None

7.2 Storage

Minimum 60°F and maximum 100°F. Store in dry place. DO NOT FREEZE.

Section 8: Exposure Controls & Personal Protection

Ventilation Local Ventilation

Respiratory Recommended in poorly vented room

Protective Gloves Recommended
Eye Protection Recommended

Hygienic Practices Water with soap after exposure

Section 9: Physical & Chemical Properties

Physical Form Liquid
Boiling Point 212°F

Vapor Density Heavier than air
Evaporation Rate Same as water
Appearance Milky blue
Odor Slight ammonia

Specific Gravity 0.97
Volatility/Volume 30-40%
Solubility Soluble

VOC 67.4 grams/liter

CASA 246-B

Section 10: Stability & Reactivity

Conditions to avoid Excessive heat or cold

Stability Stable
Incompatibility Not known
Hazardous Polymerization Will not occur

Section 11: Toxicological Information

Effects

Eye No published data
Skin No published data
Inhalation No published data
Ingestion No published data

Section 12: Ecological Information

Contact the address or phone number listed on the front page of the SDS for additional Eco toxicological information for this material an/or its components.

Section 13: Disposal Considerations

Care should be taken to ensure the material or its containers are disposed of in an approved facility in accordance with current federal, state, and local regulations.

Section 14: Transportation Information

DOT Hazard Class Unregulated

Section 15: Regulatory Information

US Federal regulations

All components of this product are listed on the United States Environmental Protection Agent
Toxic Substances Control Act (TSCA) inventory. Any impurities present in this product are exempt from listing.

Canadian Domestic Substances List (DSL)/Canadian Environmental Protection Act (CEPA)

All components of this product are listed on the DSL. Any impurities present in this product are exempt from listing.

Section 16: Other Information

16.1 Effective Dates

Effective Date 10.12.99
Revised Date 12.20.15

16.2 Manufacturer's Statement

The statements and technical information contained in this safety data sheet are based on tests and data which CASA Adhesive, Inc. believes to be reliable, however the occurring and completeness of such statements and technical information is not guaranteed. CASA Adhesive, Inc. makes no warranty expressed or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. User is responsible for determining if the product is fit for a particular purpose and is suitable for user's method of application.